

Scott J. Rittman  
One Becton Drive, MC 089  
Franklin Lakes, New Jersey 07417-1880  
Phone: 201-847-8356  
Fax: 201-848-9228  
E-Mail: scott\_rittman@bd.com



Helping all people  
live healthy lives

Fax

RECEIVED  
CENTRAL FAX CENTER

AUG 17 2004

OFFICIAL

Attention: Examiner Ralph Gitomer  
Company: United States Patent and Trademark Office  
Fax number: (703) 872-9306  
From: Ursula Polignone for SCOTT J. RITTMAN  
Date: August 17, 2004

Number of Pages (including this cover): 3

If you do not receive all of the pages, please call: Ursula Polignone 201- 847-5728

Applicant(s):	Steven C. Keith	Atty. Docket No.:	P-2776P1P1P1
Serial No.:	09/966,505	Group Art Unit:	1651
Filed:	September 28, 2001	Examiner:	Gitomer
For:	METHODS FOR IMPROVING SENSITIVITY OF OXYGEN BIOSENSORS		

The following document is attached to this facsimile:

1. Response to Restriction Requirement

**Confidential**

The pages accompanying this transmission contain or may contain information from BD (Becton, Dickinson and Company) which is confidential, proprietary and/or legally privileged. The information is intended only for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying distribution or taking of any action in reliance on the contents of this transmission is strictly prohibited, and the pages received by you are to be destroyed immediately. In this regard, please notify the sender of this transmission that you have received the transmission in error and have destroyed the pages sent.

If you do not receive all of the pages, please call as soon as possible, via direct fax line indicated above or by telephone to the sender indicated above.

Becton, Dickinson and Company

DocId:81238

OFFICIAL

RECEIVED  
CENTRAL FAX CENTER

AUG 17 2004

PATENT  
P-2776P1P1P1THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S): Steven C. Keith

SERIAL NO.: 09/966,505  
FILING DATE: September 28, 2001GROUP: 1651  
EXAMINER: Ralph J. GitomerFOR: METHODS FOR IMPROVING SENSITIVITY OF OXYGEN  
BIOSENSORSI HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING  
FAXED (703) 872-9306 TO: COMMISSIONER FOR PATENT  
P.O. BOX 1450, ALEXANDRIA, VA 22313-1450ON: August 17, 2004  
(DATE OF DEPOSIT)BY: URSULA M. POLIGNONE  
(NAME)Ursula M. Polignone  
(SIGNATURE)Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450RESPONSE TO RESTRICTION REQUIREMENT

Sir:


In response to the Office Action dated August 3, 2004, applicants have the following  
remarks.

REMARKS

The Examiner required restriction between Group I (claims 1-15 and 19-21) and Group II (claims 16-18). Applicants elect Group I (claims 1-15 and 19-21), for prosecution, without traverse.

The Commissioner is hereby authorized to charge payment of any fees, which may be required in connection herewith or credit any overpayment, to Deposit Account No. 02-1666.

Respectfully submitted,



Scott J. Rittman  
Registration No. 39,010

Becton Dickinson and Company  
1 Becton Drive  
Franklin lakes, New Jersey 07417  
(201) 847-6356

#81484